## NSN 5945-01-251-4241

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-251-4241

Overall Length:
1.718 inches
Center To Center Distance Between Mounting Facilities Parallel To Length
1.396 inches single mounting facility and 1.446 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.937 inches single mounting facility
Overall Height:
1.025 inches
Overall Width:
1.010 inches
Mounting Slot Width:
0.150 inches single mounting facility
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
End Application:
Pk stg iv con
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
70.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
1.761 cubic inches
Mounting Facility Pattern:

Nonpile-up Main Contact Arrangement:

Rectangular single mounting facility

4 pole, double throw, one position momentary

## NSN 5945-01-251-4241

Electromagnetic Relay - Page 2 of 2



Time	Del	av:
	-	ч,

0.015 seconds fixed operate and release time

**Operating Voltage Rating And Type At Specificationified Temp:** 

12.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

**Terminal Type And Quantity:** 

14 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300