# NSN 5945-01-251-5023

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-251-5023

# Overall Length:

5.660 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

4.000 inches single mounting facility

# Center To Center Distance Between Mounting Facilities Parallel To Width:

4.000 inches single mounting facility

### **Overall Height:**

5.160 inches

**Overall Width:** 

5.460 inches

**Case Material:** 

Metal and plastic

**Unthreaded Mounting Hole Diameter:** 

0.219 inches single mounting facility

#### **Fragility Factor:**

Moderately rugged

# End Application:

Actuator rty

Frequency In Hertz:

60.0

## Winding Quantity:

1

**Purpose For Which Designed:** 

General

## **Coil Quantity:**

1

## Duty Type:

Continuous

Arc Quenching Method:

Air

# Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### Storage Type:

General purpose warehouse

#### Cubic Measure:

159.463 cubic inches

## Mounting Facility Pattern:

Rectangular single mounting facility

## Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

# Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

# NSN 5945-01-251-5023

Electromagnetic Relay - Page 2 of 2



# Main Contact Load Current Rating At Maximum Rated Voltage:

27.0 amperes ac resistive load

# Main Contact Maximum Voltage Rating In Volts:

440.0 ac

# Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

## Fiig:

A03300