## NSN 5945-01-252-0206

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-252-0206

Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
3.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.625 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.125 inches single mounting facility
Overall Height:
2.625 inches
Overall Width:
3.000 inches
Case Material:
Metal
Fragility Factor:
Moderately rugged
End Application:
4920-01-136-2857
Frequency In Hertz:
Between 50.0 and 400.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
27.562 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.164 inches single mounting facility

## NSN 5945-01-252-0206

Electromagnetic Relay - Page 2 of 2



**Mounting Facility Pattern:** Rectangular single mounting facility Nonpile-up Main Contact Arrangement: 1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action **Operating Voltage Rating And Type At Specificationified Temp:** 120.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 5.0 amperes ac resistive load and 5.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 120.0 ac and 28.0 dc **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 6 threaded stud all functions Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A03300