NSN 5945-01-254-8172

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-254-8172

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

1.278 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.562 inches single mounting facility

Overall Height:

1.015 inches

Overall Width:

1.032 inches

Case Material:

Metal

Environmental Protection:

Vibration resistant and salt spray resistant and dustproof

Fragility Factor:

Moderately rugged

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

100.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

2.825 cubic inches

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

NSN 5945-01-254-8172

Electromagnetic Relay - Page 2 of 2

Gold

N/a

--

No Fiig: A03300



Nonpile-up Main Contact Arrangement: 4 pole, double throw, one position momentary **Time Delay:** 0.025 seconds fixed operate time **Operating Voltage Rating And Type At Specificationified Temp:** 6.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load and 3.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 28.0 dc **Precious Material And Location:** Contacts gold **Precious Material: Test Data Document:** 34860-60710971 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 14 wire lead all functions Shelf Life: Unit Of Measure: **Demilitarization:**