NSN 5945-01-256-3148

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-256-3148

Thread Class:
2a mounting facility bushing
Thread Direction:
Right-hand mounting facility bushing
Body Style:
Cylindrical frame
Body Diameter:
1.000 inches
Body Length:
2.000 inches
Case Material:
Metal
Actuator Length:
Between 1.090 inches and 1.140 inches
Fragility Factor:
Moderately rugged
Actuator Diameter:
0.125 inches
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
s . =
Duty Type:
Continuous
Continuous
Continuous Terminal Location:
Continuous Terminal Location: Circumference
Continuous Terminal Location: Circumference Voltage Rating In Volts:
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity:
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type:
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse Thready Qty Per Inch (tpi):
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 16 mounting facility bushing
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 16 mounting facility bushing Actuator Stroke Type:
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 16 mounting facility bushing Actuator Stroke Type: Push
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 16 mounting facility bushing Actuator Stroke Type: Push Linear Force Delivered:
Continuous Terminal Location: Circumference Voltage Rating In Volts: 12.0 dc Mounting Facility Type And Quantity: 1 threaded bushing Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 16 mounting facility bushing Actuator Stroke Type: Push Linear Force Delivered: 2.85 pounds

0.035 inches

NSN 5945-01-256-3148

Electrical Solenoid - Page 2 of 2



Thread Size:
0.750 inches mounting facility bushing
Thread Series Designator:
Unf mounting facility bushing
Terminal Type And Quantity:
3 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A134a0