NSN 5945-01-257-0143

Electrical Solenoid - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5945-01-257-0143

| 2a mounting facility bushing |
|--------------------------------------|
| Thread Direction: |
| Right-hand mounting facility bushing |
| Body Style: |
| Cylindrical frame |
| Body Diameter: |
| 1.000 inches |
| Body Length: |
| 1.120 inches |
| Maximum Operating Temp: |
| 40.0 degrees celsius |
| Actuator Length: |
| 0.936 inches |
| Fragility Factor: |
| Moderately rugged |
| Actuator Diameter: |
| 0.437 inches |
| Inclosure Type: |
| Fully enclosed |
| Magnetic Coil Quantity: |
| 1 |
| Electrical Resistance: |
| 145.00 ohms |
| Duty Type: |
| Continuous |
| Terminal Location: |
| End opposite actuator |
| Electric Power Rating: |
| 4.0 watts |
| Voltage Rating In Volts: |
| 24.0 dc |
| Mounting Facility Type And Quantity: |
| 1 threaded bushing |
| Storage Type: |
| General purpose warehouse |
| Thready Qty Per Inch (tpi): |
| 24 mounting facility bushing |
| Actuator Stroke Type: |
| Dull |
| Pull |
| Linear Force Delivered: |

NSN 5945-01-257-0143

Electrical Solenoid - Page 2 of 2



Fiig: A134a0