NSN 5945-01-257-3980

Electromagnetic Relay - Page 1 of 2

10.0 amperes ac resistive load



View Online at https://aerobasegroup.com/nsn/5945-01-257-3980

Occupably a months
Overall Length:
3.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.500 inches single mounting facility
Overall Height:
6.625 inches
Overall Width:
3.250 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
0.219 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Controller, ac
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
69.977 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally open, momentary action
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
5.750 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
440.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Pating At Maximum Pated Voltage:

NSN 5945-01-257-3980

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:
230.0 ac
Terminal Type And Quantity:
8 screw all functions
Shelf Life:
N/a

Demilitarization:

Unit Of Measure:

No

Fiig:

A03300