# NSN 5945-01-262-0401

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-262-0401

## **Overall Length:**

1.700 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.400 inches single mounting facility

## **Overall Height:**

0.890 inches

## **Overall Width:**

1.468 inches

#### **Case Material:**

Metal

#### **Environmental Protection:**

Hermetic

## **Unthreaded Mounting Hole Diameter:**

0.149 inches single mounting facility

#### **Fragility Factor:**

Moderately rugged

## Winding Quantity:

2

## **Purpose For Which Designed:**

General

## Coil Quantity:

2

## Winding Dc Resistance Rating:

1.0 kilohms all windings

## **Duty Type:**

Continuous

## Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

## Storage Type:

General purpose warehouse

## **Features Provided:**

Polarized and latching contacts

## **Cubic Measure:**

2.221 cubic inches

## Mounting Facility Pattern:

In-line single mounting facility

## Nonpile-up Main Contact Arrangement:

6 pole, double throw, one position momentary

## Time Delay:

8.00 seconds fixed operate and release time

## NSN 5945-01-262-0401

Electromagnetic Relay - Page 2 of 2



## Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius all windings

#### Main Contact Load Current Rating At Maximum Rated Voltage:

200.0 milliamperes ac resistive load and 1.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

## Terminal Type And Quantity:

22 wire hook all functions

## Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A03300