NSN 5945-01-266-3108

Reed Relay - Page 1 of 2

Terminal Type And Quantity:

16 pin all functions

Overall Length: 0.770 inches Overall Height: 0.290 inches



View Online at https://aerobasegroup.com/nsn/5945-01-266-3108

Overall Width:
Between 0.290 inches and 0.310 inches
Case Material:
Plastic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
5.184 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 printed circuit terminal single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Polarized and coil voltage suppression
Cubic Measure:
0.065 cubic inches
Nonpile-up Main Contact Arrangement:
1 pole, single throw, normally open, momentary action
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
100.0 dc
Energizing Element Power Rating:
100.0 milliwatts
Test Data Document:
81349-mil-r-83516 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5945-01-266-3108

Reed Relay - Page 2 of 2



	s	ped	:ifi	catio	n D	ata
--	---	-----	------	-------	-----	-----

81349-mil-r-83516/1 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300