# NSN 5945-01-268-2243

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-268-2243

## **Overall Length:**

3.187 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.375 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.240 inches single mounting facility

#### **Overall Height:**

6.500 inches

**Overall Width:** 

2.687 inches

**Case Material:** 

Metal

**Environmental Protection:** 

Dustproof

#### **Unthreaded Mounting Hole Diameter:**

0.187 inches single mounting facility

#### **Fragility Factor:**

Moderately rugged

#### **Contact Material:**

Silver

#### Winding Quantity:

1

#### **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

#### Duty Type:

Continuous

Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### Storage Type:

General purpose warehouse

#### Cubic Measure:

0.994 cubic inches

#### Mounting Facility Pattern:

Rectangular single mounting facility

## Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

#### Time Delay:

0.075 seconds adjustable operate time and 180.00 seconds adjustable operate time

# NSN 5945-01-268-2243

Electromagnetic Relay - Page 2 of 2



## Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

# Main Contact Maximum Voltage Rating In Volts:

120.0 ac

# Precious Material And Location:

Contacts silver

# **Precious Material:**

Silver

# Terminal Type And Quantity:

5 screw all functions

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

### Fiig:

A03300