NSN 5945-01-271-0867

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-271-0867

| Overall Length: |
|--|
| 0.800 inches |
| Overall Height: |
| 0.610 inches |
| Overall Width: |
| 0.400 inches |
| Case Material: |
| Metal |
| Environmental Protection: |
| Hermetic |
| Fragility Factor: |
| Moderately rugged |
| End Application: |
| 5805-01-216-0887 |
| Winding Quantity: |
| 1 |
| Purpose For Which Designed: |
| General |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 47.0 ohms single winding |
| Duty Type: |
| Continuous |
| Arc Quenching Method: |
| Air |
| Mounting Facility Type And Quantity: |
| 1 plug-in terminal single mounting facility |
| Storage Type: |
| General purpose warehouse |
| Features Provided: |
| Polarized |
| Cubic Measure: |
| 0.195 cubic inches |
| Nonpile-up Main Contact Arrangement: |
| 2 pole, double throw, one position momentary |
| Time Delay: |
| 0.006 seconds fixed operate time |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 6.0 volts dc 25 degrees celsius single winding |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 500 0 milliampares as resistive lead and 2.0 ampares de resistive lead |

NSN 5945-01-271-0867

Electromagnetic Relay - Page 2 of 2



| Main Contact Maximum Voltage Rating In Volts | Main | Contact | Maximum | Voltage | Rating | In | Volts: |
|--|------|---------|---------|---------|--------|----|--------|
|--|------|---------|---------|---------|--------|----|--------|

115.0 ac and 28.0 dc

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300