## NSN 5945-01-274-6409



Electromagnetic Relay - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5945-01-274-6409	
Overall Length:	
1.718 inches	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
0.625 inches single mounting facility	
Overall Height:	
1.290 inches	
Overall Width:	
1.025 inches	
Mounting Slot Width:	
0.150 inches single mounting facility	
Case Material:	
Metal	
Environmental Protection:	
Hermetic	

Moderately rugged

**Fragility Factor:** 

Winding Quantity:

2

**Purpose For Which Designed:** 

General

**Coil Quantity:** 

2

Winding Dc Resistance Rating:

405.0 ohms all windings

**Duty Type:** 

Continuous

**Arc Quenching Method:** 

Air

**Mounting Facility Type And Quantity:** 

3 slotted hole single mounting facility

**Storage Type:** 

General purpose warehouse

**Features Provided:** 

Polarized and latching contacts

**Cubic Measure:** 

2.272 cubic inches

**Mounting Facility Pattern:** 

Triangle single mounting facility

**Nonpile-up Main Contact Arrangement:** 

4 pole, double throw, one position momentary

**Operating Current Rating And Type:** 

75.0 milliamperes dc all windings

# NSN 5945-01-274-6409

Electromagnetic Relay - Page 2 of 2



#### Time Delay:

0.015 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.396 inches single mounting facility and 1.446 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:** 

28.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Test Data Document:**

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Terminal Type And Quantity:**

16 pin all functions

**Specification Data:** 

81349-mil-r-6106/51 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300