# NSN 5945-01-274-7496

Electromagnetic Relay - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/5945-01-274-7496

2a second mounting facility			
Thread Direction:			
Right-hand second mounting facility			
Thread Length:			
0.157 inches second mounting facility			
Overall Length:			
0.929 inches			
Overall Height:			
1.417 inches			
Overall Width:			
0.748 inches			
Environmental Protection:			
Dustproof			
Fragility Factor:			
Moderately rugged			
Winding Quantity:			
1			
Purpose For Which Designed:			
General			
Coil Quantity:			
1			
Winding Dc Resistance Rating:			
1.7 kilohms single winding			
Duty Type:			
Continuous			
Arc Quenching Method:			
Air			
Mounting Facility Type And Quantity:			
2 threaded stud second mounting facility			
Storage Type:			
General purpose warehouse			
Cubic Measure:			
0.984 cubic inches			
Thready Qty Per Inch (tpi):			
48 second mounting facility			
Thread Size:			
0.099 inches second mounting facility			
Mounting Facility Pattern:			
In-line second mounting facility			
Nonpile-up Main Contact Arrangement:			

## NSN 5945-01-274-7496

Electromagnetic Relay - Page 2 of 2



	Time	De	lay:
--	------	----	------

0.015 seconds fixed operate time

### **Operating Voltage Rating And Type At Specificationified Temp:**

24.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

### Main Contact Maximum Voltage Rating In Volts:

220.0 ac and 220.0 dc

#### **Thread Series Designator:**

Unc second mounting facility

### **Terminal Type And Quantity:**

8 tab, solder lug all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300