# NSN 5945-01-275-0745

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-275-0745

## Thread Class:

2b single mounting facility

### **Thread Direction:**

Right-hand single mounting facility

## **Overall Length:**

3.100 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.844 inches single mounting facility

#### **Overall Height:**

2.420 inches

**Overall Width:** 

2.000 inches

#### **Case Material:**

Plastic

#### Fragility Factor:

#### Moderately rugged

End Application:

4920-01-082-1095

#### Winding Quantity:

1

#### **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

## Winding Dc Resistance Rating:

260.0 ohms single winding

## Duty Type:

Continuous

## Arc Quenching Method:

Air

## Mounting Facility Type And Quantity:

2 threaded hole single mounting facility

## Storage Type:

General purpose warehouse

## Cubic Measure:

15.004 cubic inches

## Thready Qty Per Inch (tpi):

32 single mounting facility

## Thread Size:

0.164 inches single mounting facility

## Mounting Facility Pattern:

In-line single mounting facility

## NSN 5945-01-275-0745

Electromagnetic Relay - Page 2 of 2



Nonpile-up Main Contact Arrangement: 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 64.0 milliamperes ac single winding **Operating Voltage Rating And Type At Specificationified Temp:** 120.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 20.0 amperes ac resistive load Main Contact Maximum Voltage Rating In Volts: 120.0 ac **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 8 quick disconnect, male all functions Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A03300