# NSN 5945-01-275-2961

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-275-2961

# **Overall Length:**

1.640 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.400 inches single mounting facility

# **Overall Height:**

1.492 inches

## **Overall Width:**

0.802 inches

#### **Case Material:**

Metal

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.119 inches single mounting facility and 0.122 inches single mounting facility

#### Fragility Factor:

# Moderately rugged

End Application:

6130-01-150-0762

# Winding Quantity:

1

#### **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

500.0 ohms single winding

#### **Duty Type:**

Continuous

#### Arc Quenching Method:

Air

#### Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

#### **Cubic Measure:**

1.962 cubic inches

# **Mounting Facility Pattern:**

In-line single mounting facility

## Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

#### Time Delay:

0.025 seconds fixed operate time

# Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

# NSN 5945-01-275-2961

Electromagnetic Relay - Page 2 of 2



# Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes dc inductive load

# Main Contact Maximum Voltage Rating In Volts:

250.0 ac and 28.0 dc

# Terminal Type And Quantity:

11 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300