NSN 5945-01-276-2300

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-276-2300

| Overall Length: |
|---|
| 1.525 inches |
| Overall Height: |
| 1.905 inches |
| Overall Width: |
| 1.400 inches |
| Case Material: |
| Plastic |
| Environmental Protection: |
| |
| Dustproof Fracility Factors |
| Fragility Factor: |
| Moderately rugged |
| End Application: |
| Aim9 trc test |
| Winding Quantity: |
| 1 |
| Purpose For Which Designed: |
| General |
| Coil Quantity: |
| 1 |
| Duty Type: |
| Continuous |
| Arc Quenching Method: |
| Air |
| Mounting Facility Type And Quantity: |
| 1 terminal single mounting facility |
| Storage Type: |
| General purpose warehouse |
| Features Provided: |
| Polarized |
| Cubic Measure: |
| 4.067 cubic inches |
| Nonpile-up Main Contact Arrangement: |
| 2 pole, double throw, one position momentary |
| Time Delay: |
| 1.20 seconds adjustable release time and 120.00 seconds adjustable release time |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 24.0 volts dc 25 degrees celsius single winding |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 5.0 amperes ac resistive load and 5.0 amperes dc resistive load |
| Main Contact Maximum Voltage Rating In Volts: |

240.0 ac and 28.0 dc

NSN 5945-01-276-2300

Electromagnetic Relay - Page 2 of 2



| Terminal Type And Quanti | ty | : |
|--------------------------|----|---|
|--------------------------|----|---|

8 quick disconnect, male all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300