NSN 5945-01-276-2303

Electromagnetic Relay - Page 1 of 2

0.625 inches single mounting facility

Overall Length: 2.230 inches

Overall Height:



View Online at https://aerobasegroup.com/nsn/5945-01-276-2303

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.870 inches
Overall Width:
1.310 inches
Mounting Slot Width:
0.150 inches single mounting facility
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
End Application:
E2b/c-dcn
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
320.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
Mounting Facility Type And Quantity: 3 slotted hole single mounting facility
3 slotted hole single mounting facility
3 slotted hole single mounting facility Storage Type:
3 slotted hole single mounting facility Storage Type: General purpose warehouse
3 slotted hole single mounting facility Storage Type: General purpose warehouse Features Provided:
3 slotted hole single mounting facility Storage Type: General purpose warehouse Features Provided: Polarized
3 slotted hole single mounting facility Storage Type: General purpose warehouse Features Provided: Polarized Cubic Measure:
3 slotted hole single mounting facility Storage Type: General purpose warehouse Features Provided: Polarized Cubic Measure: 5.463 cubic inches
3 slotted hole single mounting facility Storage Type: General purpose warehouse Features Provided: Polarized Cubic Measure: 5.463 cubic inches Mounting Facility Pattern:
3 slotted hole single mounting facility Storage Type: General purpose warehouse Features Provided: Polarized Cubic Measure: 5.463 cubic inches Mounting Facility Pattern: Triangle single mounting facility

NSN 5945-01-276-2303

Electromagnetic Relay - Page 2 of 2



Time Delay:	Ti	me	: D	el	la١	/ :
-------------	----	----	-----	----	-----	------------

220.00 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.396 inches single mounting facility and 1.446 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Terminal Type And Quantity:

8 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300