# NSN 5945-01-276-2305

Electromagnetic Relay - Page 1 of 2



Parallel To Width:

Parallel To The Altitude Of An Isosceles Triangle:

Electromagnetic Relay - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5945-01-276-2305
Overall Length:
4.620 inches
Center To Center Distance Between Mounting Facilities Parallel
3.000 inches single mounting facility
Overall Height:
4.280 inches
Overall Width:
4.000 inches
Mounting Slot Width:
0.201 inches single mounting facility
Case Material:
Plastic
Fragility Factor:
Moderately rugged
End Application:
Starter motor
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
79.094 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Center To Center Distance Between Mounting Facilities Parallel
4.000 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
120.0 volts ac 25 degrees celsius single winding

120.0 volts ac 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

30.0 amperes ac resistive load

NSN 5945-01-276-2305

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

600.0 ac

### Terminal Type And Quantity:

4 screw all functions

Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A03300