NSN 5945-01-276-3677

Electromagnetic Relay - Page 1 of 2

30.0 amperes ac resistive load



View Online at https://aerobasegroup.com/nsn/5945-01-276-3677

Overall Length:
3.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.125 inches single mounting facility
Overall Height:
5.063 inches
Overall Width:
3.094 inches
Mounting Slot Width:
0.169 inches single mounting facility
Case Material:
Plastic
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
50.911 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, single throw, normally open, momentary action
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
4.750 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:

NSN 5945-01-276-3677

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum	Voltage	Rating In	Volts:
277.0 ac			

Terminal Type And Quantity:

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300