

View Online at <https://aerobasegroup.com/nsn/5945-01-277-8487>

Thread Class:

2a mounting facility stud

Thread Direction:

Right-hand mounting facility stud

Body Style:

Double ended actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.062 inches

Body Diameter:

Between 1.552 inches and 1.593 inches

Body Height:

Between 0.943 inches and 0.953 inches

Environmental Protection:

Any acceptable

Actuator Length:

Between 0.202 inches and 0.232 inches

Fragility Factor:

Moderately rugged

Actuator Diameter:

Between 0.218 inches and 0.220 inches

End Application:

A/f-18-don

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

56.70 ohms

Duty Type:

Continuous

Terminal Location:

Circumference

Voltage Rating In Volts:

18.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Current Rating:

320.0 milliamperes

Storage Type:

General purpose warehouse

Torque Rating And Type:

8.45 inch-pounds end

Thready Qty Per Inch (tpi):

32 mounting facility stud

Actuator Stroke Type:

Rotary

Power Takeoff Connection Type:

Plain

Thread Size:

0.138 inches mounting facility stud

Mounting Facility Pattern:

Two position in-line

Rotation Direction And Energizing Stroke In Angular Deg:

90.0 clockwise

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0