NSN 5945-01-281-2946

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-281-2946

Overall Length:

3.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.875 inches single mounting facility

Overall Height:

2.500 inches

Overall Width:

2.510 inches

Environmental Protection:

Watertight

Unthreaded Mounting Hole Diameter:

0.187 inches single mounting facility

End Application:

Approach lighting system, medium intensity, runway (malsr)prpy

Frequency In Hertz:

Between 50.0 and 60.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

1.2 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

200.0 milliamperes ac single winding

Operating Voltage Rating And Type At Specificationified Temp:

240.0 volts ac 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

30.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

240.0 ac

Special Features:

K1, ti 6850.85, fa 10290, malsr/rms, vol i of iii, sec 1-9 & 11, pg 8-17

Terminal Type And Quantity:

3 screw all functions

NSN 5945-01-281-2946

Electromagnetic Relay - Page 2 of 2



| _ | | | | | |
|----|---|---|----|----|----|
| ٠. | n | _ | I+ | 18 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300