NSN 5945-01-288-5631

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-288-5631

Overall Length:

Between 1.421 inches and 1.453 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.195 inches single mounting facility and 1.205 inches single mounting facility

Overall Height:

Between 1.249 inches and 1.281 inches

Overall Width:

Between 0.430 inches and 0.462 inches

Case Material:

Metal

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.120 inches single mounting facility and 0.130 inches single mounting facility

Fragility Factor:

Moderately rugged

End Application:

Spg-55b mod10

Winding Quantity:

Purpose For Which Designed:

General

Coil Quantity:

Winding Dc Resistance Rating:

20.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

0.860 cubic inches

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

53.0 milliamperes dc single winding

NSN 5945-01-288-5631

Electromagnetic Relay - Page 2 of 2



	Time	e De	elay:
--	------	------	-------

0.015 seconds fixed operate time

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300