

View Online at <https://aerobasegroup.com/nsn/5945-01-288-6244>

**Overall Length:**

Between 5.031 inches and 5.092 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.547 inches single mounting facility and 4.577 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.797 inches single mounting facility and 2.827 inches single mounting facility

**Overall Height:**

Between 2.475 inches and 2.495 inches

**Overall Width:**

Between 3.281 inches and 3.343 inches

**Environmental Protection:**

Shock proof and vibration proof

**Unthreaded Mounting Hole Diameter:**

0.200 inches single mounting facility and 0.207 inches single mounting facility

**Frequency In Hertz:**

60.0

**Winding Quantity:**

1

**Purpose For Which Designed:**

General

**Coil Quantity:**

1

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

**Cubic Measure:**

42.471 cubic inches

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

3 pole, single throw, normally open, momentary action

**Operating Current Rating And Type:**

60.0 milliamperes ac single winding

**Time Delay:**

0.05 seconds fixed release time

**Operating Voltage Rating And Type At Specificationified Temp:**

115.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

20.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac

**Terminal Type And Quantity:**

8 tab w/screw all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300