NSN 5945-01-290-9495

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-290-9495

Overall Length:

Between 2.396 inches and 2.416 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.146 inches single mounting facility and 2.166 inches single mounting facility

Overall Height:

Between 1.834 inches and 1.854 inches

Overall Width:

Between 1.256 inches and 1.276 inches

Case Material:

Plastic

Unthreaded Mounting Hole Diameter:

0.150 inches single mounting facility and 0.155 inches single mounting facility

Fragility Factor:

Moderately rugged

Contact Material:

Metal

Contact Surface Treatment:

Silver plated

End Application:

Shelter, mdl b

Frequency In Hertz:

Between 50.0 and 60.0

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

5.716 cubic inches

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

NSN 5945-01-290-9495

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

18.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

277.0 ac

Precious Material And Location:

Contact surfaces silver

Precious Material:

Silver

Terminal Type And Quantity:

4 quick disconnect, male all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300