NSN 5945-01-293-3975

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-293-3975

Overall Length:

Between 6.770 inches and 6.850 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.302 inches single mounting facility and 6.322 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.146 inches single mounting facility and 3.166 inches single mounting facility

Overall Height:

Between 4.680 inches and 4.760 inches

Overall Width:

Between 3.890 inches and 3.970 inches

Case Material:

Plastic

Environmental Protection:

Dustproof

Unthreaded Mounting Hole Diameter:

0.193 inches single mounting facility and 0.213 inches single mounting facility

Fragility Factor:

Moderately rugged

Frequency In Hertz:

60.0

Winding Quantity:

Purpose For Which Designed:

General

Coil Quantity:

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

129,445 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Nonpile-up Auxiliary Contact Arrangement:

1 pole, single throw, normally open, momentary action

Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

NSN 5945-01-293-3975

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

45.0 amperes dc resistive load

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes dc resistive load

Terminal Type And Quantity:

10 tab w/screw all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300