NSN 5945-01-294-4620

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-294-4620
Overall Length:
3.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.875 inches single mounting facility
Overall Height:
2.125 inches
Overall Width:
2.500 inches
Unthreaded Mounting Hole Diameter:
0.203 inches single mounting facility
End Application:
Approach lighting system, medium intensity, runway (malsr)
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
288.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, single throw, normally open, momentary action
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts ac 25 degrees celsius all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
15.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
240.0 ac
Special Features:
K4, ti 6850.85, fa 10290, malsr/rms, vol i of iii, sec 1-9 & 11, pg 8-12
Terminal Type And Quantity:
4 screw all functions
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5945-01-294-4620

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300