NSN 5945-01-296-5368

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-296-5368

Overall Length:
75.0 millimeters
Center To Center Distance Between Mounting Facilities Parallel To Length:
60.0 millimeters single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
35.0 millimeters single mounting facility
Overall Height:
130.0 millimeters
Overall Width:
45.0 millimeters
Environmental Protection:
Shock proof
Unthreaded Mounting Hole Diameter:
4.8 millimeters single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Panel, power d
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Mounting Facility Pattern:
Diagonal single mounting facility
Nonpile-up Main Contact Arrangement:
5 pole, single throw, normally open, momentary action and 5 pole, single throw, normally closed, momentary action
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
10.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:

220.0 ac

NSN 5945-01-296-5368

Electromagnetic Relay - Page 2 of 2



Terminal Type Ar	nd Quantity:
------------------	--------------

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300