NSN 5945-01-297-3997

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-297-3997

Overall Length:
80.0 millimeters
Center To Center Distance Between Mounting Facilities Parallel To Width:
35.0 millimeters single mounting facility
Overall Height:
75.0 millimeters
Overall Width:
45.0 millimeters
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
4.8 millimeters single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Height:
60.0 millimeters single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Hyd shear
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
270.0 cubic centimeters
Mounting Facility Pattern:
Diagonal single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action
Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

NSN 5945-01-297-3997

Electromagnetic Relay - Page 2 of 2



Main	Contact	Load	Current	Rating	At	Maximum	Rated	Voltage:

10.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

220.0 ac

Terminal Type And Quantity:

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300