## NSN 5945-01-300-7720

Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-300-7720

Overall Length:		
0.770 inches		
Overall Height:		
0.290 inches		
Overall Width:		
0.300 inches		
Case Material:		
Plastic		
Fragility Factor:		
Moderately rugged		
End Application:		
5840-01-141-4378		
Winding Quantity:		
1		
Purpose For Which Designed:		
General		
Coil Quantity:		
1		
Winding Dc Resistance Rating:		
324.0 ohms single winding		
Duty Type:		
Continuous		
Mounting Facility Type And Quantity:		
8 terminal single mounting facility		
Storage Type:		
General purpose warehouse		
Nonpile-up Main Contact Arrangement:		
1 pole, double throw, one position momentary		
Operating Voltage Rating And Type At Specificationified Temp:		
4.0 volts dc 25 degrees celsius single winding		
Main Contact Load Current Rating At Maximum Rated Voltage:		
250.0 milliamperes dc resistive load		
Main Contact Maximum Voltage Rating In Volts:		
28.0 dc		
Energizing Element Power Rating:		
170.0 milliwatts		
Test Data Document:		
81349-mil-r-83516 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification		
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain		
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).		
Terminal Type And Quantity:		
8 tab, solder lug all functions		

**Specification Data:** 

81349-mil-r-83516/4 government specification

## NSN 5945-01-300-7720

Reed Relay - Page 2 of 2



	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300