## NSN 5945-01-301-9784

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-301-9784

#### **Overall Length:**

Between 0.980 inches and 1.040 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.615 inches single mounting facility and 0.635 inches single mounting facility

**Overall Height:** 

1.860 inches

**Overall Width:** 

Between 1.250 inches and 1.310 inches

**Mounting Slot Width:** 

0.140 inches single mounting facility and 0.160 inches single mounting facility

**Case Material:** 

Steel, corrosion resisting

**Environmental Protection:** 

Hermetic and salt spray resistant

**Fragility Factor:** 

Moderately rugged

**End Application:** 

F-14a-dcn

Frequency In Hertz:

400.0

**Winding Quantity:** 

\_

**Purpose For Which Designed:** 

General

**Coil Quantity:** 

1

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

3 slotted hole single mounting facility

**Storage Type:** 

General purpose warehouse

**Cubic Measure:** 

2.534 cubic inches

**Mounting Facility Pattern:** 

Triangle single mounting facility

**Nonpile-up Main Contact Arrangement:** 

2 pole, double throw, one position momentary

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.396 inches single mounting facility and 1.446 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

31.0 volts dc 25 degrees celsius single winding

# NSN 5945-01-301-9784

Electromagnetic Relay - Page 2 of 2



### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

**Main Contact Maximum Voltage Rating In Volts:** 

200.0 ac and 28.0 dc

**Terminal Type And Quantity:** 

14 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A03300