NSN 5945-01-301-9784

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-301-9784

Overall Length:

Between 0.980 inches and 1.040 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.615 inches single mounting facility and 0.635 inches single mounting facility

Overall Height:

1.860 inches

Overall Width:

Between 1.250 inches and 1.310 inches

Mounting Slot Width:

0.140 inches single mounting facility and 0.160 inches single mounting facility

Case Material:

Steel, corrosion resisting

Environmental Protection:

Hermetic and salt spray resistant

Fragility Factor:

Moderately rugged

End Application:

F-14a-dcn

Frequency In Hertz:

400.0

Winding Quantity:

_

Purpose For Which Designed:

General

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

3 slotted hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

2.534 cubic inches

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.396 inches single mounting facility and 1.446 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

31.0 volts dc 25 degrees celsius single winding

NSN 5945-01-301-9784

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac and 28.0 dc

Terminal Type And Quantity:

14 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300