## NSN 5945-01-302-4068

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-302-4068

**Overall Length:** 

Between 0.775 inches and 0.799 inches

**Overall Height:** 

Between 0.354 inches and 0.378 inches

Overall Width:

Between 0.378 inches and 0.402 inches

**Environmental Protection:** 

Dustproof

**Fragility Factor:** 

Moderately rugged

Winding Quantity:

1

**Purpose For Which Designed:** 

General

**Coil Quantity:** 

.

Winding Dc Resistance Rating:

125.0 ohms single winding

**Duty Type:** 

Continuous

**Arc Quenching Method:** 

Air

**Mounting Facility Type And Quantity:** 

1 plug-in terminal single mounting facility

Storage Type:

General purpose warehouse

**Cubic Measure:** 

0.112 cubic inches

**Nonpile-up Main Contact Arrangement:** 

2 pole, double throw, one position momentary

Time Delay:

0.03 seconds fixed release time

**Operating Voltage Rating And Type At Specificationified Temp:** 

5.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

 $3.0 \ \text{amperes}$  ac resistive load and  $2.0 \ \text{amperes}$  dc resistive load

Main Contact Maximum Voltage Rating In Volts:

250.0 ac and 110.0 dc

**Precious Material And Location:** 

Contact surfaces gold and contacts silver

**Precious Material:** 

Gold and silver

## NSN 5945-01-302-4068

Electromagnetic Relay - Page 2 of 2



Ferminal Type A	and Q	uantity:
-----------------	-------	----------

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300