

View Online at <https://aerobasegroup.com/nsn/5945-01-303-4850>

Thread Class:

2a mounting facility stud

Thread Direction:

Right-hand mounting facility stud

Body Style:

Double ended actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 1.240 inches and 1.260 inches

Body Diameter:

1.865 mils and 1.906 centimeters

Body Height:

Between 1.043 inches and 1.063 inches

Maximum Operating Temp:

125.0 degrees celsius

Fragility Factor:

Moderately rugged

Actuator Diameter:

Between 0.249 inches and 0.251 inches

End Application:

F16aircombfir

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

4.30 ohms

Duty Type:

Intermittent

Terminal Location:

Circumference

Voltage Rating In Volts:

28.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Current Rating:

7.5 amperes

Storage Type:

General purpose warehouse

Thready Qty Per Inch (tpi):

32 mounting facility stud

Actuator Stroke Type:

Push

Linear Force Delivered:

16.00 pounds

Power Takeoff Connection Type:

Plain-drilled

Energizing Stroke Maximum Length:

0.135 inches

Thread Size:

0.164 inches mounting facility stud

Mounting Facility Pattern:

Two position in-line

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A134a0