NSN 5945-01-304-1900

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-304-1900

View Offiline at https://acrobasegroup.com/hish/0545-01-504-1500
Overall Length:
1.015 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.625 inches second mounting facility
Overall Height:
1.000 inches
Overall Width:
1.015 inches
Mounting Slot Width:
0.150 inches second mounting facility
Fragility Factor:
Moderately rugged
End Application:
Dcn
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 slotted hole second mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
1.030 cubic inches
Mounting Facility Pattern:
Triangle second mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.396 inches second mounting facility and 1.446 inches second mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
25.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Precious Material And Location:

Terminals gold

NSN 5945-01-304-1900

Electromagnetic Relay - Page 2 of 2



Precious Material:
Gold
Terminal Type And Quantity:
9 pin all functions
Shelf Life:
N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300