# NSN 5945-01-304-6777

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-304-6777

### **Overall Length:**

Between 1.698 inches and 1.718 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.396 inches single mounting facility and 1.446 inches single mounting facility

**Overall Height:** 

Between 0.495 inches and 0.515 inches

Overall Width:

Between 0.990 inches and 1.010 inches

**Mounting Slot Width:** 

0.150 inches single mounting facility

**Case Material:** 

Metal

**Environmental Protection:** 

Hermetic

**Fragility Factor:** 

Moderately rugged

**End Application:** 

Harpoon ctv a

**Winding Quantity:** 

**Purpose For Which Designed:** 

General

**Coil Quantity:** 

**Duty Type:** 

Continuous

**Arc Quenching Method:** 

Air

**Mounting Facility Type And Quantity:** 

2 slotted hole single mounting facility

Storage Type:

General purpose warehouse

**Features Provided:** 

Coil voltage suppression

**Cubic Measure:** 

0.894 cubic inches

**Mounting Facility Pattern:** 

In-line single mounting facility

**Nonpile-up Main Contact Arrangement:** 

2 pole, double throw, one position momentary

Time Delay:

0.015 seconds fixed operate and release time

# NSN 5945-01-304-6777

Electromagnetic Relay - Page 2 of 2



## Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac and 28.0 dc

**Terminal Type And Quantity:** 

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300