# NSN 5945-01-305-0794

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-305-0794

# **Overall Length:**

Between 2.470 inches and 2.530 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.990 inches single mounting facility and 2.010 inches single mounting facility

# **Overall Height:**

Between 1.580 inches and 1.600 inches

Overall Width:

Between 2.280 inches and 2.340 inches

**Environmental Protection:** 

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.227 inches single mounting facility and 0.237 inches single mounting facility

**Fragility Factor:** 

Moderately rugged

**End Application:** 

Pod test st t

Frequency In Hertz:

400.0

**Winding Quantity:** 

# **Purpose For Which Designed:**

General

**Coil Quantity:** 

**Duty Type:** 

Continuous

**Arc Quenching Method:** 

Air

#### **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

**Cubic Measure:** 

9.472 cubic inches

#### **Mounting Facility Pattern:**

In-line single mounting facility

## **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

# Operating Voltage Rating And Type At Specificationified Temp:

124.0 volts ac 25 degrees celsius all windings

### Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

# NSN 5945-01-305-0794

Electromagnetic Relay - Page 2 of 2



115.0 ac and 28.0 dc

**Terminal Type And Quantity:** 

16 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300