NSN 5945-01-306-4457



Electromagnetic Relay - Page 1 of 2	Grou
View Online at https://aerobasegroup.com/nsn/5945-01-306-4457	
Overall Length:	
0.335 inches	
Overall Height:	
0.280 inches	
Overall Width:	
0.335 inches	
Environmental Protection:	
Dustproof and corrosion resistant	
Fragility Factor:	
Moderately rugged	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Duty Type:	
Continuous	
Mounting Facility Type And Quantity:	
1 plug-in terminal single mounting facility	
Storage Type:	
General purpose warehouse	
Cubic Measure:	
0.031 cubic inches	
Nonpile-up Main Contact Arrangement:	
2 pole, double throw, one position momentary	
Criticality Code Justification:	
Feat	
Time Delay:	
0.004 seconds fixed release time	
Operating Voltage Rating And Type At Specificationified Temp:	
26.5 volts dc 25 degrees celsius single winding	
Main Contact Load Current Rating At Maximum Rated Voltage:	
10.0 milliamperes dc lamp load	
Main Contact Maximum Voltage Rating In Volts:	
115.0 ac and 28.0 dc	
Special Features:	
Established reliability of 0.100	
Test Data Document:	
81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in sp	fication
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certa	in
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Terminal Type And Quantity:	

8 wire lead all functions

NSN 5945-01-306-4457

Electromagnetic Relay - Page 2 of 2



Specification Data:

81349-mil-r-39016/18 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300