

View Online at <https://aerobasegroup.com/nsn/5945-01-306-9147>

Thread Class:

2b power takeoff facility hole

Thread Direction:

Right-hand mounting facility stud

Body Style:

Armature end actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 0.651 inches and 0.661 inches

Body Diameter:

Between 0.980 inches and 1.020 inches

Body Height:

Between 0.541 inches and 0.571 inches

Fragility Factor:

Moderately rugged

End Application:

1260-01-208-6448 mast mounted sight

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Duty Type:

Continuous

Terminal Location:

Circumference

Voltage Rating In Volts:

29.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Storage Type:

General purpose warehouse

Torque Rating And Type:

0.40 inch-pounds starting

Thready Qty Per Inch (tpi):

48 power takeoff facility hole

Actuator Stroke Type:

Rotary

Power Takeoff Connection Type:

Plate coupling

Plate Coupling Facility And Quantity:

3 threaded hole

Plate Coupling Facility Diameter:

0.880 inches

Plate Coupling Facility Radius:

0.440 inches

Plate Coupling Facility Center To Center Spacing In Deg:

120.0

Thread Size:

0.099 inches power takeoff facility hole

Mounting Facility Pattern:

Two position in-line

Rotation Direction And Energizing Stroke In Angular Deg:

25.0 counterclockwise

Thread Series Designator:

Unc power takeoff facility hole

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A134a0