

View Online at <https://aerobasegroup.com/nsn/5945-01-306-9147>

**Thread Class:**

2b power takeoff facility hole

**Thread Direction:**

Right-hand mounting facility stud

**Body Style:**

Armature end actuator

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

Between 0.651 inches and 0.661 inches

**Body Diameter:**

Between 0.980 inches and 1.020 inches

**Body Height:**

Between 0.541 inches and 0.571 inches

**Fragility Factor:**

Moderately rugged

**End Application:**

1260-01-208-6448 mast mounted sight

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Duty Type:**

Continuous

**Terminal Location:**

Circumference

**Voltage Rating In Volts:**

29.0 dc

**Mounting Facility Type And Quantity:**

2 threaded stud

**Storage Type:**

General purpose warehouse

**Torque Rating And Type:**

0.40 inch-pounds starting

**Thready Qty Per Inch (tpi):**

48 power takeoff facility hole

**Actuator Stroke Type:**

Rotary

**Power Takeoff Connection Type:**

Plate coupling

**Plate Coupling Facility And Quantity:**

3 threaded hole

**Plate Coupling Facility Diameter:**

0.880 inches

**Plate Coupling Facility Radius:**

0.440 inches

**Plate Coupling Facility Center To Center Spacing In Deg:**

120.0

**Thread Size:**

0.099 inches power takeoff facility hole

**Mounting Facility Pattern:**

Two position in-line

**Rotation Direction And Energizing Stroke In Angular Deg:**

25.0 counterclockwise

**Thread Series Designator:**

Unc power takeoff facility hole

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A134a0