NSN 5945-01-308-4034

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-308-4034

Thread Class:
2a second mounting facility
Overall Length:

1.395 inches

Overall Height:

1.187 inches

Overall Width:

0.735 inches

Environmental Protection:

Vibration proof and shock proof and dustproof

Unthreaded Mounting Hole Diameter:

0.091 inches first mounting facility

Fragility Factor:

Moderately rugged

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

40.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

1 unthreaded hole first mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

1.217 cubic inches

Thread Size:

0.099 inches second mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

Time Delay:

0.02 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

4.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Precious Material And Location:

Contact arms and terminals silver and contact arms and terminals gold

NSN 5945-01-308-4034

Electromagnetic Relay - Page 2 of 2



Precious Material:

Silver and gold

Thread Series Designator:

Unc second mounting facility

Terminal Type And Quantity:

12 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300