## NSN 5945-01-310-1320

Electromagnetic Relay - Page 1 of 2

1.875 inches single mounting facility

**Unthreaded Mounting Hole Diameter:** 

**Environmental Protection:** 

Overall Length: 4.250 inches

Overall Height: 2.500 inches Overall Width: 2.510 inches

Dustproof

1

Fragility Factor:
Moderately rugged
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:



View Online at https://aerobasegroup.com/nsn/5945-01-310-1320

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

0.184 inches single mounting facility and 0.190 inches single mounting facility

Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
4.5 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
26.669 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
480.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
10.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
600.0 ac

## NSN 5945-01-310-1320

Electromagnetic Relay - Page 2 of 2



<b>Precious Material And Location:</b>
Contacts silver
Precious Material:
Silver
Terminal Type And Quantity:
8 screw all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A03300