NSN 5945-01-310-3094



Electromagnetic Relay - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5945-01-310-3094
Overall Length:
6.230 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.750 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.880 inches single mounting facility
Overall Height:
3.090 inches
Overall Width:
3.250 inches
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
0.199 inches single mounting facility
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:

6 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

55.442 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Voltage Rating And Type At Specificationified Temp:

480.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 15.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

240.0 ac and 30.0 dc

NSN 5945-01-310-3094

Electromagnetic Relay - Page 2 of 2



Special Features:
Time range 1.5 to 15 second delay
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Terminal Type And Quantity:
6 screw all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A03300