NSN 5945-01-310-9310

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-310-9310
Overall Length:
3.800 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.115 inches single mounting facility and 3.135 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.990 inches single mounting facility and 2.010 inches single mounting facility
Overall Height:
2.870 inches
Overall Width:
2.550 inches
Mounting Slot Width:
0.100 inches single mounting facility and 0.105 inches single mounting facility
Fragility Factor:
Moderately rugged
Contact Material:
Silver
End Application:
Alm195 b52-c1
Frequency In Hertz:
Between 50.0 and 60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
180.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
27.810 cubic inches
Mounting Facility Pattern:

Mounting Facility Fattern.

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

NSN 5945-01-310-9310

Electromagnetic Relay - Page 2 of 2

No Fiig: A03300



Main Contact Load Current Rating At Maximum Rated Voltage: 25.0 amperes ac resistive load Main Contact Maximum Voltage Rating In Volts: 600.0 ac Precious Material And Location: Contacts silver Precious Material: Silver Terminal Type And Quantity: 6 screw contacts Shelf Life: N/a Unit Of Measure: - Demilitarization: