

View Online at <https://aerobasegroup.com/nsn/5945-01-310-9638>

Overall Length:

4.440 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.865 inches single mounting facility and 3.885 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.740 inches single mounting facility and 2.760 inches single mounting facility

Overall Height:

3.550 inches

Overall Width:

3.310 inches

Unthreaded Mounting Hole Diameter:

0.213 inches single mounting facility and 0.228 inches single mounting facility

Fragility Factor:

Moderately rugged

Contact Material:

Silver

End Application:

E-3 facs raov

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

46.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

52.172 cubic inches

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action

Time Delay:

0.04 seconds fixed release time

Nonpile-up Auxiliary Contact Arrangement:

1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action

Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

5.0 probe dc resistive load

Precious Material And Location:

Contacts silver

Precious Material:

Silver

Terminal Type And Quantity:

6 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300