NSN 5945-01-311-1288

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-311-1288

Thread Class: 2b single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Length:** 2.375 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.375 inches single mounting facility **Overall Height:** 1.875 inches **Overall Width:** 1.031 inches **Fragility Factor:** Moderately rugged Winding Quantity: **Purpose For Which Designed:** General **Coil Quantity:** Winding Dc Resistance Rating: 258.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded hole single mounting facility Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** In-line single mounting facility **Nonpile-up Main Contact Arrangement:** 12 pole, double throw, one position momentary **Operating Current Rating And Type:** 109.0 milliamperes dc single winding

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

Operating Voltage Rating And Type At Specificationified Temp:

125.0 milliamperes ac resistive load and 1.0 amperes dc resistive load

NSN 5945-01-311-1288

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

Precious Material And Location:

Contact button silver and contact and terminal surfaces gold

Precious Material:

Gold and silver

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

38 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300