NSN 5945-01-315-1419

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-315-1419
Overall Length:
4.520 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.500 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.880 inches single mounting facility
Overall Height:
3.090 inches
Overall Width:
3.810 inches
Environmental Protection:
Dustproof
Unthreaded Mounting Hole Diameter:
0.199 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Swbd pwr emer
Frequency In Hertz:
50.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
6 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
53.213 cubic inches
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary

Time Delay:

0.001 seconds fixed operate time

Nonpile-up Auxiliary Contact Arrangement:

2 pole, single throw, normally open, momentary action

NSN 5945-01-315-1419

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

10.0 probe ac resistive load

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A03300