NSN 5945-01-316-8012

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-316-8012

Our well to an other
Overall Length:
1.084 inches
Overall Height:
1.403 inches
Overall Width:
0.827 inches
Environmental Protection:
Shock resistant and vibration resistant
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Gold
End Application:
Second antenna
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
7.68 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
0.02 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
120.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
800.0 milliamperes ac inductive load
Main Contact Maximum Voltage Rating In Volts:

240.0 ac and 110.0 dc

NSN 5945-01-316-8012

Electromagnetic Relay - Page 2 of 2



Precious Material And Location:

Contact surfaces gold and contacts silver

Precious Material:

Gold and silver

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300