## NSN 5945-01-317-6174

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-317-6174
Overall Length:
0.610 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.150 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.150 inches single mounting facility
Overall Height:
0.320 inches
Overall Width:
0.310 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
End Application:
Sonar assembl
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
210.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:

Air

#### **Mounting Facility Type And Quantity:**

1 plug-in terminal single mounting facility

#### **Storage Type:**

General purpose warehouse

#### **Cubic Measure:**

0.060 cubic inches

#### **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

#### Time Delay:

0.006 seconds fixed release time

### **Operating Voltage Rating And Type At Specificationified Temp:**

12.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

# NSN 5945-01-317-6174

Electromagnetic Relay - Page 2 of 2



#### Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Test Data Document:**

81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Terminal Type And Quantity:**

8 pin all functions

#### **Specification Data:**

81349-mil-r-39016/38 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300