NSN 5945-01-318-4034

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-318-4034

Thread Class:

2b second mounting facility

Thread Direction:

Right-hand second mounting facility

Overall Length:

3.394 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches second mounting facility

Overall Height:

2.719 inches

Overall Width:

2.657 inches

Environmental Protection:

Dustproof

Unthreaded Mounting Hole Diameter:

0.870 inches first mounting facility

Fragility Factor:

Moderately rugged

End Application:

Oj-564/u

Frequency In Hertz:

Between 50.0 and 60.0

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

120.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded hole second mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

24.519 cubic inches

Thready Qty Per Inch (tpi):

32 second mounting facility

Thread Size:

0.164 inches second mounting facility

NSN 5945-01-318-4034

Electromagnetic Relay - Page 2 of 2



Mounting Facility Pattern: In-line second mounting facility Nonpile-up Main Contact Arrangement: 4 pole, double throw, one position momentary **Operating Voltage Rating And Type At Specificationified Temp:** 120.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load Main Contact Maximum Voltage Rating In Volts: 240.0 ac **Precious Material And Location:** Contacts silver **Precious Material:** Silver **Thread Series Designator:** Unc second mounting facility **Terminal Type And Quantity:** 14 quick disconnect, female all functions Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig:

A03300