

View Online at <https://aerobasegroup.com/nsn/5945-01-318-4034>

**Thread Class:**

2b second mounting facility

**Thread Direction:**

Right-hand second mounting facility

**Overall Length:**

3.394 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches second mounting facility

**Overall Height:**

2.719 inches

**Overall Width:**

2.657 inches

**Environmental Protection:**

Dustproof

**Unthreaded Mounting Hole Diameter:**

0.870 inches first mounting facility

**Fragility Factor:**

Moderately rugged

**End Application:**

Oj-564/u

**Frequency In Hertz:**

Between 50.0 and 60.0

**Winding Quantity:**

1

**Purpose For Which Designed:**

General

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

120.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

2 threaded hole second mounting facility

**Storage Type:**

General purpose warehouse

**Cubic Measure:**

24.519 cubic inches

**Thready Qty Per Inch (tpi):**

32 second mounting facility

**Thread Size:**

0.164 inches second mounting facility

**Mounting Facility Pattern:**

In-line second mounting facility

**Nonpile-up Main Contact Arrangement:**

4 pole, double throw, one position momentary

**Operating Voltage Rating And Type At Specificationified Temp:**

120.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

10.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

240.0 ac

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Thread Series Designator:**

Unc second mounting facility

**Terminal Type And Quantity:**

14 quick disconnect, female all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300